

GOCOIN

SROW STRONG

a new option for corn farmers

We know farmers are always looking for ways to increase their profit margins. That's why we're excited to introduce Go Corn — our new genetics optimized line to give your fields an edge up. Go Corn utilizes PowerCore® Enlist® technology to defend against pests and weeds, maximizing your yield. Give your crops the top-of-the-line support they need for robust and healthy growth and plant one of our new Go Corn varieties on your farm!



Excellent top-end yield potential when planted at medium populations in medium to high yield environments

- "The Money Maker" is the lead product in your lineup
- Industry-leading germplasm
- Very showy appearance all season
- Strong stalks and late season staygreen
- PowerCore® Enlist® option
- Very girthy ear with good flex



ARGONOMIC CHA	ARACTERISTICS
FLOWERING (GDU)	1390
BLACK LAYERS (GDU)	2572
PLANT HEIGHT	MEDIUM
EAR PLACEMENT	MEDIUM
EAR TYPE	FLEX
COB COLOR	PINK
DRYDOWN	MEDIUM
HUSK COVER	COMPLETE
KERNEL ROWS	18-20
VERSIC	ons en
CONVENTIONAL	YES
ORGANIC	YES
GLYPHOSATE	N/A
ABOVE GROUND	PowerCore® Enlist®
ABOVE/BELOW GROUND	N/A





Excels as a high yielding full season food grade hybrid for the central and east

- Outstanding yield and food grade potential
- Excellent staygreen
- Good root strength
- Moves south well
- Long ear handles moderate population
- Great central and eastern hybrid

	ARACTERISTICS
FLOWERING (GDU)	1340
BLACK LAYERS (GDU)	2625
PLANT HEIGHT	TALL
EAR PLACEMENT	HIGH
EAR TYPE	FLEX
COB COLOR	RED
DRYDOWN	MEDIUM
HUSK COVER	COMPLETE
KERNEL ROWS	14-18
VERSIC	NS
CONVENTIONAL	YES
ORGANIC	YES
GLYPHOSATE	N/A
ABOVE GROUND	PowerCore® Enlist®
ABOVE/BELOW GROUND	N/A

POWERCÓRE POWERCÓRE

Enlist







Position as full season hybrid across all soil types and populations

- Showy hybrid that delivers
- Girthy, cylindrical ear
- Excellent grain quality
- Excellent foliar health
- Performs east-to-west
- Well adapted for the mid-south



Apply Enlist® herbicides with confidence.

Review before spraying to ensure successful applications. For detailed instructions, visit **Enlist.com/Apply.**

Always follow all label requirements.



BEFORE SPRAYING



1. Application Window

No later than R2 or full flowering stage.



2. Tank-Mix Partners

Check EnlistTankMix.com for qualified tank-mix products.



3. Nozzles

Use only nozzles & pressure combinations listed on the product label.



4. Wind Speed, Weather

Target application at wind speeds greater than 3 mph, but less than 10 mph. Do not apply at wind speeds greater than 15 mph. Don't spray during a temperature inversion.



5. Susceptible Crops

Only spray when the wind is blowing away from susceptible crops listed on the product label, including tomatoes, fruiting vegetables, cucurbits, grapes, tobacco and cotton without the EnlistTM trait. Do not spray if the wind is blowing toward a susceptible crop.



6. Sensitive Area

Maintain a 30-foot downwind buffer (in the direction in which the wind is blowing) from any sensitive area (e.g., wooded areas, pastures, roadside ditches, lawns, tree plantations).



7. Sprayer Contamination

Make sure sprayer is clean from prior applications before using Enlist™ herbicides to avoid tank contamination.

APPLICATION



1. Spray Pressure

Verify spray pressure based on the product label and current conditions. Ground speed, product volume and nozzle selection all factor into the appropriate spray pressure.



2. Spray Rate

Enlist Duo® herbicide: 4.75 pt./A Enlist One® herbicide: 2 pt./A



3. Spray Volume

Apply a spray volume of water ranging from 10 to 15 gal./A for best results.



4. Boom Height

Consult the nozzle manufacturer for optimum boom height (usually 24 inches or less above crop canopy).



5. Cleanout

After applying on Enlist™ herbicide, make sure to clean-water flush sprayer with 10% of tank volume and triple-rinse when application is complete.





HERBICIDE

TECHNOLOGY

MITH COLEX-E

ENLIST™ E3 SOYBEAN HERBICIDE TOLERANCES:

New 2,4-D Choline Glyphosate Glufosinate

GoSoy 2023/24 Enlist E3® Soybean Product Line

Variety	Maturity	Plant Type	Soil Type	Comments	IDC	SDS	FE	RKN	sc	Metribuzin Rating	STS	Pod Color
Go Soy 433E24S	4.3	М	LIGHT-MIXED	Place in highly productive soil types - has great standability.	NA	2	2	S	MR	Good	Т	Т
Go Soy 451E23	4.5	М	ALL	Outperformed all checks across 24 locations in 2021 and an Excluder	3	2	1	MS	MR	VG	S	В
GoSoy 461E24	4.6	Т	MIXED-HEAVY	Works well in heavier soil type conditions, gets tall and is an Excluder	NA	2	2	S	MR	Good	S	В
Go Soy 481E19	4.8	М	LIGHT-MIXED	Excellent Bean in High Yielding Environments	NA	2	1.5	MS	R	VG	S	В
Go Soy 493E22N	4.9	МТ	LIGHT-MIXED	Late Group IV with Root Knot Resistance. High yielding line	NA	2	2.5	R	R	VG	S	В
Go Soy 541E22	5.4	МТ	MIXED-HEAVY	Mid Group V with Height to handle tough clay soils. Excellent Double Crop!	NA	1.5	2	S	R	VG	S	В

IDC- Iron Deficiency Chlorosis • SDS-Sudden Death Syndrome • FE-Frog Eye • RKN-Root Knot Nematode • SC-Stem Canker • STS-Sulfonylurea-tolerant

Ratings are based on a 1-5 scale — 1 = Best 5 = Worst

Following burndown, Enlist
Duo® and Enlist One®
herbicides with Colex-D®
technology are the only
herbicides containing
2,4-D that are labeled
for preemergence and
postemergence use with
Enlist E3® soybeans.

On-Target Application

- 90% less drift than traditional 2,4-D
- %% less volatile than 2.4-D ester



THE NEXT GENERATION OF TECHNOLOGY

2,4-D choline | Glyphosate | Glufosinate



- Convenient proprietary blend of 2,4-D choline and glyphosate
- The two modes of action work together to deliver control of yield-robbing weeds and help prevent resistance



- Straight goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with Durango® DMA® herbicide, Liberty® herbicide and other qualified tank-mix products, allowing for a customized weed control program to fit each farm





TESTED TO BRING YOU MORE PROFIT PER ACRE

Don't worry, we tested it – and then tested it again. GoSoy offers superior varieties custom-designed to fit your location and goals.

Use our **Online Seed Finder** to choose the right trait, maturity and soil type for your operation; Or give your local seed rep a call and let them know it's time to **GoSoy**.

Learn more at GoStrattonSeed.com today!

Find your area rep. listed on page 16 to place an order today!



GoSoy 2023/24 GT Glyphosate Tolerant Soybean Product Line



Variety	Maturity	Plant Type	Soil Type	Comments	IDC	SDS	FE	RKN	sc	Metribuzin Rating	STS	Pod Color
GoSoy 5214 GTS	5.2	МТ	MIXED-HEAVY	Tough Defensive Package for RKN ground	NA	2.5	2.5	R	MR	G	S	Т
GoSoy 60G18	6.0	Т	MIXED-HEAVY	Tall bushy yielder	NA	2	2.5	S	MS	G	S	Т
GT Ireane	4.9	М	LIGHT-MIXED	Glyphosate version of Ireane which includes Root Knot	NA	2.5	2.5	R	R	G	S	Т

IDC- Iron Deficiency Chlorosis • SDS-Sudden Death Syndrome • FE-Frog Eye • RKN-Root Knot Nematode • SC-Stem Canker • STS-Sulfonylurea-tolerant Ratings are based on a 1-5 scale – 1 = Best 5 = Worst

GoSoy 2023/24 Conventional Product Line



100	Variety	Maturity	Plant Type	Soil Type	Comments	IDC	SDS	FE	RKN	sc	Metribuzin Rating	STS	Pod Color	
The state of	GoSoy 43C17S	4.3	MS	LIGHT-MIXED	Narrow Plant Type for High Population Planting	NA	2	2	S	MR	G	Т	В	NA.
V	GoSoy 48C17S	4.8	MT	ALL	Widely adapted STS Conventional	NA	1.5	2	S	R	G	Т	В	
	GoSoy Leland	4.9	MT	ALL	Tough Defensive Package for RKN ground	NA	2.5	2.5	R	MS	G	S	Т	THE RESERVE

IDC- Iron Deficiency Chlorosis • SDS-Sudden Death Syndrome • FE-Frog Eye • RKN-Root Knot Nematode • SC-Stem Canker • STS-Sulfonylurea-tolerant Ratings are based on a 1-5 scale – 1 = Best 5 = Worst



Farmers need products that prioritize their needs and set high benchmarks for high-yielding genetics, and DONMARIO® provides just that. We welcome you to get to know DONMARIO, where the main focus is breeding superior soybeans.

An independent soybean brand, DONMARIO is proud to partner with independent seed companies like Stratton Seed Company to provide fresh options in soybean seed genetics for American farmers. In fact, DONMARIO is one of the only independent seed companies in the U.S. with its own breeding program. The bottom line is that DONMARIO's exclusive genetics and choice of traits bring better soybeans to farmers.

DONMARIO began as a small family business in 1982 when two brothers, the Bartolomés, wanted better soybeans for their fields. DONMARIO grew quickly and soon earned the reputation for better soybean genetics and management practices.

Independent testing trials, countless third-party evaluations, and most importantly, DONMARIO soybeans' consistent performance on American farms continue to drive our success today.

DONMARIO® by the numbers:

Numbers tell the story.

DONMARIO has proven success where soybeans matter most.

It is one of the most recognized names in South America, and its sister brands are a significant force in Europe. The genetic foundation behind DONMARIO is one of the most dominant in the main soybean growing areas of the world, accounting for more than 40% of global soybean production.

40+ YEARS

more than four decades of soybean innovation

6 COUNTRIES

DONMARIO® is a leading global brand in six of the top soybean producing countries

U.S. breeding stations

625,000

U.S. research

16 MILLION

Units sold anually

140+

U.S. testing locations

115,000

New U.S. varieties tested annually

25%

Percentage of revenue reinvested in research

DONMARIO® is a trademark used by B&B Seeds, LLC under license from GDM Seeds, Inc. 3414 Big Pine Trail, Champaign IL, 61822. Stratton Seed Company is a distributor of DONMARIO products for B&B Seeds, LLC.

SERIOUS ABOUT SOYBEANS



DONMARIO 2023/24 Soybean Product Line

	Variety	Maturity	Plant Type	Soil Type	Comments	IDC	SDS	FE	RKN	sc	Metribuzin Rating	STS	Pod Color
	ом 45E33S	4.5	МТ	ALL	High yielder on heavier grounds, STS tolerant & salt excluder	NA	2	2	S	R	VG	Т	Т
Security of the second	DM 51E62S	5.1	МТ	SILTY CLAY - ALL	Performs best on sandy loam & silty clay soils but flexible on all soil type; STS & salt index excluder	NA	1.5	1.5	S	R	VG	Т	В

IDC- Iron Deficiency Chlorosis • SDS-Sudden Death Syndrome • FE-Frog Eye • RKN-Root Knot Nematode • SC-Stem Canker • STS-Sulfonylurea-tolerant Ratings are based on a 1-5 scale -1 = Best 5 = Worst

The DONMARIO path to higher yielding soybeans:

- 1. Start with the best genetics.
- 3. Protect yield with the most advanced traits.
- 2. Create the highest quality seed.

GENETICS

4. Optimize production with intelligent argonomics.









MANAGEMENT



QUALITY

DONMARIO 2023/24 Soybean Product Line



Variety	Maturity	Plant Type	Soil Type	Comments	IDC	SDS	FE	RKN	sc	Metribuzin Rating	STS	Pod Color
<u>рм 45F23</u>	4.5	МТ	ALL	In 53 DMMAS locations, 2.9 bu/ac advantage over AG47XF0 in 2021 & 2022 seasons; Best performance in medium-high yield environments	2	2	1.5	S	R	G	S	Т
<u>рм 48F53</u>	4.7	М	ALL	During 2022 seasons across 17 test locations out yield AG48XF2 with 1.9 bu/ac advantage	1.5	2	1.5	MS	R	G	S	Т
DM 49F62S	4.9	МТ	MIXED-HEAVY	STS Excluder and excellent double crop	NA	2	1.5	S	R	VG	Т	В

IDC- Iron Deficiency Chlorosis • SDS-Sudden Death Syndrome • FE-Frog Eye • RKN-Root Knot Nematode • SC-Stem Canker • STS-Sulfonylurea-tolerant

Ratings are based on a 1-5 scale – 1 = Best 5 = Worst

DONMARIO 2023/24 Soybean Product Line



Variety	Maturity	Plant Type	Soil Type	Comments	IDC	SDS	FE	RKN	sc	Metribuzin Rating	STS	Pod Color
<u>рм 45Х</u> 61S	4.7	МТ	ALL	MDS: Best on silty clay soils in low-med productivity; Salt index excluder	2	2	1.5	S	R	G	Т	В
<u>рм 51Х</u> 61	5.1	MT	ALL	Performs best in high yielding clay and silty loam soil types	NA	1.5	1.5	S	R	G	S	Т

IDC- Iron Deficiency Chlorosis • SDS-Sudden Death Syndrome • FE-Frog Eye • RKN-Root Knot Nematode • SC-Stem Canker • STS-Sulfonylurea-tolerant Ratings are based on a 1-5 scale – 1 = Best 5 = Worst



Virtue Seeds is a non-GMO soybean brand that is taking an unconventional approach to the conventional soybean industry. Virtue's sole intent is to create an elite non-GMO germplasm to fuel elite non-GMO soybean products. This Pure Genetic Power approach is shaking up the market, bringing a unique opportunity to lower your input expense and increase your profit per bushel. As a dealer of Virtue non-GMO varieties, Stratton Seed Company is pleased to bring this option to our soybean growers.

Virtue non-GMO Product Line

Variety	Maturity	Plant Type	Soil Type	Comments	IDC	SDS	FE	RKN	sc	Metribuzin Rating	STS	Pod Color
₩ V4520S	4.5	М	LIGHT-MIXED	Dominant on medium productivity soils	NA	2	2	S	R	VG	Т	Т
₩ V4720S	4.7	М	ALL	Performs best in high yield environments	NA	1.5	1.5	S	R	VG	Т	Т
₩ V 4921S	4.9	МТ	ALL	Stable across early, medium and late planting dates EXCLUDER	NA	2	1.5	S	R	G	Т	Т

IDC- Iron Deficiency Chlorosis • SDS-Sudden Death Syndrome • FE-Frog Eye • RKN-Root Knot Nematode • SC-Stem Canker • STS-Sulfonylurea-tolerant Ratings are based on a 1-5 scale – 1 = Best 5 = Worst



DM **45E33S**

									Υ	′ielc	d Re	sul	s											
VARIETY	# OF LOCATIONS	AVERACE YIELD	DM49F625 BU/A ADYANTAGE	DEWITT, AR	REYDELL, AR	CORINTH (VARDAMAN), MS	DUNCAN (IRR), MS	EGYPT, MS	MANTEE, MS	MARKS, MS	ALEXANDRIA, LA.	CREENFIELD, TN	DEWITT-EARLY, AR	DEWITT-LATE, AR	JONESBORO- EARLY, AR	JONESBORO- LATE, AR	MARION, AR	STUTTGART, AR	WINCHESTER, AR	WYNNE, AR	CLARKSDALE, MS	CLEVELAND-LATE, MS	HOLLANDALE, MS	DROVIDENCE, LA
DM49F62S	21	67.4	-	72.7	65.3	58.1	60.0	69.0	68.9	52.5	65.5	57.9	81.3	69.2	83.6	72.2	73.3	77.3	61.7	60.6	76.7	45.6	77.A	66.1
AG47XF0	21	66.7	+0.7	73.0	66.0	54.9		64.7	65.4	52.3	64.4	57.4	82.1	70.4	85.8	76.6	69.8	73.9	65.4	63.6	70.7	45.6	72.3	69.7
AG53XF2	21	67.1	+0.3	73.1	65.2	54.1	56.3	65.6	69.8		65.8	57.7	82.7	72.4	87.2	80.1	69.9		63.6	59.6	69.9	45.0	76.0	72.3
AG48XF2	21	68.3	-0.9	72.5	69.8	58.5	58.7	65.3	74.0	54.3	66.6	60.9	80.2	66.9	82.9	74.9	76.4	74.4	62.0	61.8	74.6	46.9	80.0	72.0
AG47XF2	21	69.6	-2.2	74.6	71.8	60.2	57.9	71.6	72.1	52.9	67.4	60.6	82.2	72.9	87.6	76.7	72.3	74.9	64.7	65.7	73.6	49.5	81.5	71.5
AVERAGE		67.8	-0.4	73.2	67.6	57.2	58.0	67.2	70.0	52.6	66.0	58.9	81.7	70.4	85.4	76.1	72.3	74.6	63.5	62.3	73.1	46.5	77.A	70.3

			Head-1	to-Head			,
Variety	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	DM49F62S AVERAGE YIELD	DM49F62S BU/A ADVANTAGE	Check % YIELD ADVANTAGE	DM49F62S % OF WIN CASES
AG47XF0	21	2022	66.7	67.4	+0.7	99.0%	57.0%
AG53XF2	21	2022	67.1	67.4	+0.3	99.6%	57.0%
AG48XF2	21	2022	68.3	67.4	-0.9	101.3%	38.0%
AG47XF2	21	2022	69.6	67.4	-2.2	103.3%	19.0%

DM **48F53**



							`	Yielc	Res	sults										
VARIETY	# OF LOCATIONS	AVERAGE YIELD	DM48FS3 BU/A ADVANTAGE	CHERBY VALLEY, AR	DEWITT, AR	JONESBORO-LATE, AR	MARION, AR	NEWPORT, AR	REVDELL AR	CORINTH (VARDAMAN), MS	DUNCAN (FRR), MS	ECYPT, NS	LELAND, MS	MANTEE, MS	MARKS, NS	DVERSBURG, TN	CREENFIELD, TN	MURRAY, KY	ALEXANDRIA LA	KEISER, AR
DM48FS3	17	60.2	*	79.5	73.4	69.7	68.4	72.6	745	60.7	58.7	67.6	76.0	75.5	54,1	70.3	61.7	59.0	69.6	67.0
AG47XF0	177	63.4	+4.8	748	73.0	175	60.7	70.1	66.0	548	57.1	647	68.4	65.4	52.3	63.5	57.4	51.0	644	66.4
AG480F2	17	663	+1.9	764			68.8	719	698	58.5	591.7			740	543	65.9	60.9		66.6	67.6
AC45XF0	17	66.6	+1.6		743	454	643	71.6	684	58.7	60.5	71.0	73.1		56.5	65.7			67.0	68.4
AG47XF2	17	67.1	+13	27/3	74.6	69.0	64.6	748	7sa	602	57.5	71.6	736		52.0	662	606			69.1
AVERAGE		66.3	+1.9	76.7	73.5	67.8	65.4	72.6	701	58.6	58.6	68.0	72.5	72.2	54.0	663	60.4	55.5	66.9	67.7

100	AVERAGE	. 667 +13	76.7 73.5 67.8	65.4 72.6 70	38.6 SEE 6	8.0 P/AND 9/2	A.0 663 60A	55.5 66.9 67.7
				Head-t	o-Head			
	Variety	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	DM48F53 AVERAGE YIELD	DM48F53 BU/A ADVANTAGE	Check % YIELD ADVANTAGE	DM48F53 % OF WIN CASES
	AG47XF0	17	2022	63.4	68.2	+4.8	93.0%	100.0%
	AG48XF2	17	2022	66.3	68.2	+1.9	97.2%	76.0%
	AG45XF0	17	2022	66.6	68.2	+1.6	97.7%	70.0%
	AG47XF2	17	2022	67.1	68.2	+1.1	98.4%	76.0%

DM 51E62S



		Υ	ield Resu	lts				
VARIETY	#OF LOCATIONS	AVEDACE	DMSIE625 BU/A ADVANTAGE	NEWPOST, AR	REYDELL, AR	ALEXANDRIA, LA	MANTEE, MS	CREENFIELD, TN
DM51E62S	5	63.6	.0	67.6	65.3	61.9	68.6	54.5
PS3T90E	s	642	-0.6	69,1	66.9	63.2	65.5	56.0
P49T62E	5	64.7	-1.1	69.2	66.9	63.3	68.0	56.1
P47T39SE	5	65.2	-1.6	70.5	67.9	63.5	69.2	547
P49T74E	5	65.6	-2.0	66.2	70.5	62.2	69.4	59.6
NK49-T63ES	5	66.2	-2.6		67.0	63.4	721	61.5
AVERAGE		64.9	-1.3	68.3	67.4	62.9	68.8	57.1

			Head-t	o-Head			
Variety	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	DMS1E62S AVERAGE YIELD	DMSTEG2S BU/A ADVANTAGE	Check % YIELD ADVANTAGE	DM51E62S % OF WIN CASES
P53T90E	5	2022	64.2	63.6	-0.6	100.9%	20.0%
P49T62E	5	2022	64.7	63.6	-11	101.7%	20.0%
P47T39SE	5	2022	65.2	63.6	-16	102.516	0%
P49174E	5	2022	65.6	63.6	-2.0	103.1%	20.0%
NK49-T63ES	5	2022	66.2	63.6	-26	104.1%	20.0%

DM 45F23



						Yi	eld R	esult								
VARIETY	# OF LOCATIONS	AVERAGE WELD	DM43F25 BU/A ADVANTAGE	CHERRY VALLEY, AR	DEWITT, AR	JONESBORO- LATE, AR	MARION, AR	NEWPORT, AR	REYDELL, AR	CORINTH (VARDAMAN), MS	DUNCAN (IRR), MS	EGYPT, MS	LELAND, MS	MANTER, MS	MURSAY, KV	DYERSBURG, TN
DM45F23	13	67.7		77.5	73.6	64.8	66.7	70.5	71.0	59.8	58.1	70.1	73.2	71.4	58.0	65.5
AC47XF0	13	64.4	+3.3	74.6	73.0	67.5	60.7	701	660	54.9	57,1	64.7	68.4	65.4	51.0	63.5
AG48XF2	13	67.5	+0.2	764		67.3	68.8	73.9	69.8	585	58.7	65.3	73.5	74.0	53.3	65.9
AG45XF0	13	67.6	+0.1	75.7	741	65.4	643	71.8	68.4	58.7	60.5	71.0	731	741	55.7	65.7
AG47XF2	13	68.6	-0.9	773	746	69.0	64.6	74.8	71.8	60.2	57.0	71.6	73.6	721	57.7	66.2
AVERAGE	\ E	67.2	+0.5	76.3	73.6	66.8	65.0	72.2	69.4	58.4	58.4	68.5	72.4	71.4	55.2	65.3

			Head-t	o-Head			
Variety	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	DM45F23 AVERAGE YIELD	DM45F23 BU/A ADVANTAGE	Check % YIELD ADVANTAGE	DM45F23 % OF WIN CASES
AG47XF0	13	2022	64.4	67.7	+3.3	95.1%	92.0%
AG48XF2	13	2022	67.5	67.7	+0.2	99.7%	46.0%
AG45XF0	13	2022	67.6	67.7	+0.1	99.9%	46.0%
AG47XF2	13	2022	68.6	67.7	-0.9	101.3%	30.0%



DM 49F625



)	/ielo	d Re	esul	s											
VARIETY	# OF LOCATIONS	AVERAGE YIELD	DM49F625 BU/A ADVANTACE	DEWITT, AR	REYDELL, AR	CORINTH (VARDAMAN), MS	DUNCAN (IRR), MS	ECYPT, MS	MANTEE, MS	MARKS, MS	ALEXANDRIA, LA	CREENFIELD, TN	DEWITT-EARLY, AR	DEWITT-LATE, AR	JONESBORO- EARLY, AR	JONESBORO- LATE, AR	MARION, AR	STUTTCART, AR	WINCHESTER, AR	WINNE, AR	CLARKSDALE, MS	CLEVELAND-LATE, MS	HOLLANDALE, MS	LAKE PROVIDENCE, LA
DM49F62S	21	67.4	-	72.7	65.3	58.1	60.0	69.0	68.9	52.5	65.5	57.9	81.3	69.2	83.6	72.2	73.3	77.3	61.7	60.6	76.7	45.6	77.4	66.1
AG47XF0	21	66.7	+0.7	73.0	66.0	54.9		64.7	65.4	52.3	64.4	57.4	82.1	70.4	85.8	76.6	69.8	75.9	65.4	63.6	70.7	45.6	72.3	69.7
AG53XF2	21	67.1	+0.3	73.1	65.2		56.3	65.6	69.8	50.7	65.8	57.7	82.7	72.4	87.2	80.1	69.9		63.6	59.6	69.9	45.0	76.0	72.3
AG48XF2	21	68.3	-0.9	72.5	69.8	58.5	58.7	65.3	74.0	54.3	66.6	60.9	80.2	66.9	82.9	74.9	76.4	74.4	62.0	61.8	74.6	46.9	0.08	72.0
AG47XF2	21	69.6	-2.2	74.6	71.8	60.2	57.9	71.6	72.1	52.9	67.4	60.6	82.2	72.9	87.6	76.7	72.3	74.9	64.7	65.7	73.6	49.5	81.5	71.5
AVERAGE	-	67.8	-0.4	73.2	67.6	57.2	58.0	67.2	70.0	52.6	66.0	58.9	81.7	70.4	85.4	76.1	72.3	74.6	63.5	62.3	73.1	46.5	77.4	70.3

			Head-	to-Head			
Variety	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	DM49F62S AVERAGE YIELD	DM49F62S BU/A ADVANTAGE	Check % YIELD ADVANTAGE	DM49F62S % OF WIN CASES
AG47XF0	21	2022	66.7	67.4	+0.7	99.0%	57.0%
AG53XF2	21	2022	67.1	67.4	+0.3	99.6%	57.0%
AG48XF2	21	2022	68.3	67.4	-0.9	101.3%	38.0%
AG47XF2	21	2022	69.6	67.4	-2.2	103.3%	19.0%

DM 45X61S



							Yi	eld F	Resu	lts									
VARIETY	# OF LOCATIONS	AVERACE YIELD	DMASXETS BU/A ADVANTAGE	DEWITT-EARLY, AR	DEWITT-LATE, AR	JONESBORO- EARLY, AR	JONESBORO-LATE, AR	JONESBORD- MEDIUM, AR	MARION, AR	STUTTGART, AR	WINCHESTER, AS	WYNNII, AR	CLARKSDALE, MS	CLEVELAND- EARLY, MS	CLEVELAND-LATE, MS	HOLLANDALE, MS	PROVIDENCE, LA	PORTACEVILLE- EARLY, MO	CREENFIELD, TN
DM45X615	16	74.3		86.2	76.0	88.6	75.9	79.6	80.6	78.1	65.4	66.3	77.1	71,1	49.0	81.9	73.3	77.4	61.5
AG47XF0	16	70.5	+3.8	82.1	704	858	76.6	80.1	69.0	73.9	65.4	63.6	707	662	45.6	72.5	617	783	57.A
AG48XF2	16	70.6	+3.7	802	669	80.9	743	765	764	74.4	62.0	61.8	748		46.9	80.0		741	601
AG53XF2	36	718	+2.5	854	732	877	82.4	826	708	753	645	604	708	195	45.8	76.8	73.2	764	577
AG46XF0	16	72.2	+2.1	12.0	731	85.7	73.4	785	72.5	772	63.0	66.4	78.5	68.4	46.6	81.9	68.61	77.6	61A
AG47XF2	16	72.5	+1.0	112.2	72.9		76.7	81.9	723	769	647	657	73.6	672	49.5	IIIS	71.5	77,7	60.6
AVERAGE		72.0	+2,3	62.7	921	964	76.6	79.9	73.9	75.3	642	66.0	742	68.0	47.4	99.3	71.6	76.9	59.8

			Head-t	o-Head			
Variety	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	DM45X6IS AVERAGE YIELD	DM45X61S BU/A ADVANTACE	Check % YIELD ADVANTAGE	M45X61S % OF WIN CASES
AG47XF0	16	2022	70.5	743	+3.8	94.9%	81.0%
AG48XF2	16	2022	70.6	743	+3.7	95.0%	100.0%
AG53XF2	16	2022	71.8	743	+2.5	96.6%	87.0%
AG45XF0	16	2022	72.2	743	+2.1	97.2%	81.0%
AG47XF2	16	2022	72.5	743	+1.8	97.6%	81.0%





Yield Results

East Coast, Mid South, Central Cornbelt, West

VARIETY	# OF LOCATIONS	VARIETY AVERAGE YIELD	V4720S BU/A ADVANTAGE	DEWITT, AR	JONESBORO-LATE, AR	MANTEE, MS	GREENFIELD, TN	JACKSON, NC	NEW KENT, VA	RIDGWAY, IL	DEWITT-EARLY, AR	DEWITT-LATE, AR	JONESBORO-EARLY, AR	JONESBORO-LATE, AR	MARION, AR	STUTTGART, AR	WINCHESTER, AR	WYNNE, AR	CLARKSDALE, MS	CLEVELAND-EARLY, MS	HOLLANDALE, MS	LAKE PROVIDENCE, LA	LAWRENCE, KS
V4720S	20	71.3	-	76.3	63.4	74.4	57.9	82.1	73.2	57.2	84.6	71.9	84.4	71.7	73.0	75.3	59.9	65.2	74.9	68.0	77.0	72.9	62.6
P53T90E	20	64.2	+7.1	68.7	58.1	63.6	56.0		68.7				78.7	65.3	60.0	66.8	52.2	58.7	64.2		68.9	63.8	56.4
P47T39SE	20	66.3	+5.0	74.7	63.9	68.8	54.7		69.4	54.4	79.4	69.8	76.2	68.6	64.9	71.2		56.7	66.4		71.3		59.6
P49T62E	20	67.1	+4.2		60.5		56.1		70.9	54.6			80.0	68.5	69.4		56.4	59.0		64.6	75.7		56.2
P49T74E	20	67.9	+3.4	71.8	60.4	68.2	59.6	80.5		54.1	80.0	71.4	79.0	68.6	65.6	75.4	60.1	61.5	68.4	66.0			57.4
NK49-T63ES	20	69.0	+2.3		60.9	70.4	61.5	81.2	69.7	52.8	82.8		81.3	70.4		74.8	60.6	61.8			72.7	70.9	54.5
AG47XF0	20	69.8	+1.5		67.5	65.4	57.4	81.7		54.4		70.4	85.8	76.6	69.8		65.4	63.6		66.2		69.7	57.4
AG47XF2	20	72.0	-0.7	74.6	69.0	72.1	60.6	81.2	69.9	60.4	82.2	72.9	87.6	76.7			64.7	65.7	73.6		81.5	71.5	61.6
AG45XF0	20	72.1	-0.8		65.4	74.1	61.4	79.2	76.2	59.7	82.0	73.1	85.7	73.4		77.2	63.0	66.4	78.5	68.4	81.9	69.8	59.7
AVERAGE	-	68.9	+2.4	73.0	63.2	69.4	58.4	79.7	71.0	55.6	80.9	70.4	82.1	71.1	68.7	73.9	59.7	62.1	70.8	65.7	75.1	68.0	58.4

East Coast, Mid South, Central Cornbelt, West

	,	,		Transaction and the			
VARIETY	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	V4720S AVERAGE YIELD	V4720S BU/A ADVANTAGE	Check % YIELD ADVANTAGE	V4720S % OF WIN CASES
P53T90E	20	2022	64.2	71.3	+7.1	90.0%	100.0%
P47T39SE	20	2022	66.3	71.3	+5.0	93.0%	95.0%
P49T62E	20	2022	67.1	71.3	+4.2	94.1%	100.0%
P49T74E	20	2022	67.9	71.3	+3.4	95.2%	85.0%
NK49-T63ES	20	2022	69.0	71.3	+2.3	96.8%	90.0%
AG47XF0	20	2022	69.8	71.3	+1.5	97.9%	80.0%
AG47XF2	20	2022	72.0	71.3	-0.7	101.0%	55.0%
AG45XF0	20	2022	72.1	71.3	-0.8	101.1%	35.0%



East Coast, Mid South, Central Cornbelt, West

VARIETY	# OF LOCATIONS	VARIETY AVERAGE YIELD	V4520S BU/A ADVANTAGE	DEWITT, AR	JONESBORO-LATE, AR	MANTEE, MS	GREENFIELD, TN	JACKSON, NC	NEW KENT, VA	RIDGWAY, IL	DEWITT-EARLY, AR	DEWITT-LATE, AR	JONESBORO-EARLY, AR	JONESBORO-LATE, AR	MARION, AR	STUTTGART, AR	WINCHESTER, AR	WYNNE, AR	CLARKSDALE, MS	CLEVELAND-EARLY, MS	HOLLANDALE, MS	LAKE PROVIDENCE, LA	LAWRENCE, KS
V4520S	20	70.8	-	75.9	67.9	73.3	55.9	77.3	73.6	57.5	83.7	68.0	84.4	75.6	72.5	76.0	60.6	65.4	74.2	68.8	78.1	68.5	59.1
P47T39SE	20	66.3	+4.5	74.7		68.8	54.7		69.4	54.4	79.4	69.8		68.6	64.9			56.7	66.4				59.6
AG47XF0	20	69.8	+1.0	73.0		65.4	57.4	81.7	72.2	54.4		70.4	85.8	76.6	69.8		65.4			66.2		69.7	57.4
AG48XF2	20	71.0	-0.2	72.5		74.0	60.9	79.5	72.9	58.5	80.2	66.9			76.4	74.4	62.0	61.8	74.6		80.0	72.0	63.3
AG47XF2	20	72.0	-1.2	74.6	69.0		60.6	81.2	69.9	60.4	82.2	72.9	87.6	76.7			64.7	65.7	73.6		81.5	71.5	61.6
AG45XF0	20	72.1	-1.3	74.1	65.4	74.1	61.4	79.2	76.2	59.7	82.0	73.1	85.7	73.4		77.2	63.0	66.4	78.5	68.4	81.9	69.8	59.7
AVERAGE	-	70.3	+0.5	74.1	66.8	71.3	58.5	79.2	72.3	57.5	81.6	70.2	83.8	74.3	71.4	74.6	61.8	63.3	73.0	66.4	77.5	69.1	60.1

East Coast, Mid South, Central Cornbelt, West

VARIETY	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	V4520S AVERAGE YIELD	V4520S BU/A ADVANTAGE	Check % YIELD ADVANTAGE	V4520S % OF WIN CASES
P47T39SE	20	2022	66.3	70.8	+4.5	93.6%	90.0%
AG47XF0	20	2022	69.8	70.8	+1.0	98.6%	65.0%
AG48XF2	20	2022	71.0	70.8	-0.2	100.3%	50.0%
AG47XF2	20	2022	72.0	70.8	-1.2	101.7%	40.0%
AG45XF0	20	2022	72.1	70.8	-1.3	101.8%	30.0%



East Coast, Mid South, Central Cornbelt

VARIETY	# OF LOCATIONS	VARIETY AVERAGE YIELD	V4921S BU/A ADVANTAGE	DEWITT, AR	JONESBORO·LATE, AR	MANTEE, MS	GREENFIELD, TN	JACKSON, NC	LUMBER BRIDGE, NC	MOUNT OLIVE, NC	WALLACE, NC	NEW KENT, VA	RIDGWAY, IL	DEWITT-EARLY, AR	DEWITT-LATE, AR	JONESBORO-EARLY, AR	JONESBORO-MEDIUM , AR	MARION, AR	STUTTGART, AR	WINCHESTER, AR	WYNNE, AR	CLARKSDALE, MS	CLEVELAND-EARLY, MS	CLEVELAND-LATE, MS	HOLLANDALE, MS	LAKE PROVIDENCE, LA
V4921S	23	69.8	-	76.4	66.4	75.8	60.8	83.9	63.5	63.7	60.8	71.0	56.0	83.6	70.7	86.7	75.4	73.8	76.0	59.8	64.6	78.6	64.4	46.8	77.0	69.8
P47T39SE	23	64.4	+5.4		63.9	68.8	54.7		58.4	59.4	54.9	69.4	54.4	79.4	69.8	76.2	70.5	64.9			56.7	66.4		40.8		63.3
P49T62E	23	65.4	+4.4		60.5				56.4	60.0	54.4	70.9	54.6			80.0		69.4		56.4	59.0	67.4	64.6			63.2
P49T74E	23	66.0	+3.8	71.8	60.4	68.2	59.6	80.5	58.0		54.4		54.1	80.0	71.4	79.0			75.4	60.1	61.5	68.4	66.0			67.0
NK49-T63ES	23	67.2	+2.6		60.9	70.4	61.5	81.2	58.6					82.8		81.3			74.8	60.6	61.8		67.0	44.4		70.9
GoySoyLeland	23	67.6	+2.2	71.8	64.8		56.8		58.9	59.9			51.1	81.4		82.1	75.4		74.6	61.1	62.5		69.7	46.1		69.6
AG47XF0	23	67.8	+2.0		67.5	65.4	57.4	81.7		60.3	55.7	72.2	54.4	82.1	70.4	85.8	77.3	69.8		65.4	63.6		66.2	45.6		69.7
AG48XF2	23	69.0	+0.8		67.3		60.9	79.5	61.4	62.4		72.9	58.5	80.2	66.9		75.7	76.4	74.4	62.0	61.8	74.6	65.7	46.9	80.0	72.0
AG47XF2	23	70.1	-0.3	74.6	69.0		60.6	81.2			58.4	69.9	60.4	82.2	72.9	87.6	77.2			64.7	65.7		67.2	49.5	81.5	71.5
AVERAGE	-	67.5	+2.3	73.2	64.5	70.4	58.7	80.3	59.6	60.8	56.3	70.6	55.1	81.2	69.9	82.4	74.6	70.6	74.5	60.6	61.9	72.0	65.9	45.0	75.7	68.5

East Coast, Mid South, Central Cornbelt

VARIETY	# OF LOCATIONS	SEASON	VARIETY AVERAGE YIELD	V4921S AVERAGE YIELD	V4921S BU/A ADVANTAGE	Check % YIELD ADVANTAGE	V4921S % OF WIN CASES
P47T39SE	23	2022	64.4	69.8	+5.4	92.3%	100.0%
P49T62E	23	2022	65.4	69.8	+4.4	93.7%	95.0%
P49T74E	23	2022	66.0	69.8	+3.8	94.6%	86.0%
NK49T63E	23	2022	67.2	69.8	+2.6	96.3%	82.0%
GoySoyLeland	23	2022	67.6	69.8	+2.2	96.8%	91.0%
AG47XF0	23	2022	67.8	69.8	+2.0	97.1%	78.0%
AG48XF2	23	2022	69.0	69.8	+0.8	98.9%	52.0%
AG47XF2	23	2022	70.1	69.8	-0.3	100.4%	52.0%

Yield Results



Territory Managers:

Jason Pieroni 1 6 9

501-286-2394

Keith Hammer 2 7

501-326-3845

William Worthington 3 11 Matt McCrate 10

870-456-1605

Carwin Harris 4 662-820-0227

Chris Gordon 5 8

731-514-6999

573-225-5013



(800) 264-4433

Contact your local rep. or find a dealer near you at StrattonSeed.com

Legal Information

Enlist E3® Soybeans

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www.biotradestatus.com.

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

Enlist Duo® and Enlist One® herbicides are not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist Duo and Enlist One are the only 2,4-D products authorized for use with Enlist crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions. The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. ™ ® Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3® soybeans.

Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at the following webpage: www.corteva.us/Resources/trait-stewardship.html



DONMARIO® Sovbeans

Varieties with the DuPont™ STS™ soybean technology are tolerant to certain SU (sulfonylurea) herbicides. NOTE: A soybean variety with a herbicide tolerant trait does not confer tolerance to all herbicides. Spraying herbicides not labeled for a specific soybean variety will result in severe plant injury or plant death. Always read and follow herbicide label directions and precautions for use.

The GDM soybean products (including any conventional (non-GMO) soybean products) have been developed by GDM through decades of elite soybean breeding, with the sole intent to create elite Soybean germplasm and produce high-yielding. Bringing about these seed products has taken – and will continue to take – time, effort and investment to GDM and its suppliers. Such products are covered by intellectual property, including trademarks, pending plant variety certificates, confidential information, trade secrets, and pending patents. Grower shall not retain, hold back, clean, condition, sell (except as grain for feed or processing), transfer, or use any unused seed or its progeny (colloquially known as "saved seed" or "bin run") during any subsequent planting seasons beyond the planting season in which the applicable unit(s) of seed product(s) was acquired. In addition, research and breeding with the products and its progeny is strictly prohibited.

Growers must sign a GDM® SEEDS USE AGREEMENT for the purchase of any DONMARIO® soybean product. Even if some products do not contain biotech traits, the GDM® SEEDS USE AGREEMENT protects the intellectual property associated with non-biotech products such as germplasm and other intellectual know-how. Remember that the agreements you need to sign are dependent on what seed you purchased. For more information, visit www.AgCelerate.com or contact your seed dealer.

Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. These are general recommendations based on data taken from company trials and field observations and do not constitute a warranty of fitness or guarantee of performance for a particular use. Growers should evaluate data from multiple locations and years whenever possible.

DONMARIO® is a trademark used by B&B Seeds, LLC under license from GDM Seeds, Inc. 3414 Big Pine Trail, Champaign IL, 61822. Stratton Seed Company is a distributor of DONMARIO products for B&B Seeds, LLC.



VIRTUE™ Sovbeans

The Virtue™ soybean products have been developed by GDM Seeds Inc. and its affiliates through decades of elite soybean breeding, with the sole intent to create elite Soybean germplasm and produce high-yielding. Bringing about these seed products has taken — and will continue to take — time, effort and investment to GDM and its suppliers. Such products are covered by intellectual property, including trademarks, pending plant variety certificates, confidential information, trade secrets, and pending patents (check lip of bag or attached tag for status of IP protection).

The purchase of these seeds includes a limited license to produce a single soybean crop in the United States (or other applicable country). This license does not extend to the use of seed of such crop or the progeny thereof for propagation or seed multiplication.

Grower shall not retain, hold back, clean, condition, sell (except as grain for feed or processing), transfer, or use any unused seed or its progeny (colloquially known as "saved seed" or "bin run") during any subsequent planting seasons beyond the planting season in which the applicable unit(s) of seed product(s) was acquired. In addition, research and breeding with the products and its progeny, seed multiplication, and/or sale, offering for sale, exchange, delivery, transfer, import, or export of seed of the Virtue soybean varieties is strictly prohibited.

Growers must sign a GDM® SEEDS USE AGREEMENT for the purchase of any Virtue soybean product. Even if some products do not contain biotech traits, the GDM® SEEDS USE AGREEMENT protects the intellectual property associated with non-biotech products such as germplasm and other intellectual know-how. Remember that the agreements you need to sign are dependent on what seed you purchased. For more information, visit www. AgCelerate.com or contact your seed dealer.

Varieties with the DuPont™ STS™ soybean technology are tolerant to certain SU (sulfonylurea) herbicides. NOTE: A soybean variety with a herbicide tolerant trait does not confer tolerance to all herbicides. Spraying herbicides not labeled for a specific soybean variety will result in severe plant injury or plant death. Always read and follow herbicide label directions and precautions for use.

Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. The general recommendations contained herein are based on data taken from company trials and field observations and do not constitute a warranty of fitness or guarantee of performance for a particular use. Growers should evaluate data from multiple locations and years whenever possible.

DuPont™ and STS™ are trademarks of ™Trademark of E.I. du Pont de Nemours and Company. Virtue™, the Virtue logo; PURE GENETIC POWER™; are trademarks of GDM Seeds, Inc. 3414 Big Pine Trail, Champaign IL, 61822. All other trademarks are the property of their respective owners.

XTENDFLEX® & ROUNDUP READY 2 XTEND®

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Xtend®, Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASE Corporation.



POWERCORE® ENLIST® CORN

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS product launch stewardship guidance Corteva Agrisciences Product Launch Stewardship Policy. No crop or material produced from this product can be exported to, used, processed or sold across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. For further information about your crop or grain marketing options, contact DAS at 877-4-TRAITS (877-487). Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www.biotradestatus.com.

Seeds containing the Enlist, Herculex and PowerCore traits are protected under numerous US patents. Seeds containing patented traits can only be used to plant a single commercial crop and cannot be saved or replanted. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements detailed therein (www.corteva.us/Resources/trait-stewardship.html). To plant Enlist, Herculex and PowerCore seed, you must have a limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products. Enlist corn contains genes that confer tolerance to 2,4-D and -fop herbicides will damage or kill crops that are not tolerant to 2,4-D or -fops.

IRM - Properly managing trait technology is key to preserving it as a long-term crop protection tool. Growers who fail to comply with IRM requirements risk losing access to this product. To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for appropriate refuge configuration options. Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with Bt technology, including refuge examples and important information on the use of insecticides on refuge and Bt corn acres, please consult appropriate Product Use Guide. Go to www.corteva.us/ Resources/trait-stewardship.html to download the latest Corteva Agriscience Corn Product Use Guide.

Enlist Duo® and Enlist One® herbicides are not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist Duo and Enlist One are the only 2,4-D products authorized for use with Enlist crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions. PowerCore® multi-event technology developed by Corteva Agriscience and Monsanto. Roundup Ready®, Roundup Ready 2 Technology and Design, and PowerCore® are registered trademarks of Monsanto Technology LLC. Liberty Link® and the Water Droplet Design® are registered trademarks of BASF. Enlist®, Colex-D®, and Refuge Advanced® are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship.

PCE – PowerCore® Enlist® Refuge Advanced® corn products with HX1, VTP, ENL, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with PowerCore Enlist Refuge Advanced products.

















































Stratton Seed Company



